928673-1 ACTIVE

FASTON | FASTON 187

TE Internal #: 928673-1

FASTON 187, Crimp Terminal Housings, Receptacle, Receptacle


Housing, 2 Positions, Straight, Natural, PBT, Mating Retention,

Mating Alignment

View on TE.com >



Terminals & Splices > Terminal Housings, Insulation Sleeves & Blocks > Crimp Terminal Housings



Terminal & Splice Type: Receptacle

Housing Type: Receptacle Housing

Number of Positions: 2

Terminal Orientation: Straight

Housing Color: Natural

Features

Product Type Features

Product Type	Terminal Housing
Housing Type	Receptacle Housing
Sealable	No
Insulated	No
Configuration Features	
Number of Positions	2
Body Features	
Housing Color	Natural
Mating Retention	With
Mating Alignment	With
Contact Features	
Terminal & Splice Type	Receptacle

Straight

Terminal Orientation



Mechanical Attachment

Mating Retention Type	Latch
Mounting Style	Free Hanging
Housing Features	
Housing Material	PBT
Dimensions	
Width	7.8 mm
Length	20.6 mm[.811 in]
Centerline	9.5 mm[.374 in]
Usage Conditions	
Operating Temperature Range	-40 – 105 °C[-40 – 221 °F]
Packaging Features	
Packaging Quantity	5100

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUL 2019 (201) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUL 2019 (201)
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these



limits as defined in the Annexes of Directive 2011/65/EU. (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Also in the Series | FASTON 187



Crimp Terminal Housings(38)



Joints & Splices(1)




PCB Terminals(46)



Quick Disconnects(222)



Customers Also Bought



TE Model / Part #7-1333201-4 ANVIL, COMBINATION .055



TE Model / Part #1633965-1 CRIMPER, INSUL O PREMIUM



TE Model / Part #185760-1 16W HYBRID RCPT HSG BLACK



TE Model / Part #1379095-1 COV+LEV MQS 12W 0DEG BROW





TE Model / Part #368269-2 CLIP FOR 090 II MLC(KEY HOLE)







Documents

Product Drawings

FASTON REC HSG 2P PBT NAT

German

CAD Files

Customer View Model

ENG_CVM_CVM_928673-1_B.2d_dxf.zip

English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_928673-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_928673-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

.110,.187 & 250 Series FASTON Terminals

English

Product Specification

English