1-1564407-1 <

## AMP | HDSCS TE Internal #: 1-1564407-1 HDSCS, Housing for male terminals, Wire-to-Wire, 16 Position, 6mm / 4mm [.236in / .157in] Centerline, Sealable, Black, Signal View on TE.com >



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > HDSCS HOUSINGS



Connector Style: Housing for male terminals

Mating Tab Width: 1.6 mm, 2.8 mm [.063 in, .11 in]

Connector System: Wire-to-Wire

Number of Positions: 16

Centerline (Pitch): 4 mm, 6 mm [.157 in, .236 in ]

#### All HDSCS HOUSINGS (186)

# Features

### Product Type Features

Row-to-Row Spacing	6.9 mm[.272 in]
Connector Style	Housing for male terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	Yes
Primary Locking Feature	On the Terminal
Strain Relief	Add By Accessory
Configuration Features	
Number of Positions	16
Number of Rows	2
Electrical Characteristics	
Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V
Operating Voltage	60 VDC

HDSCS, Housing for male terminals, Wire-to-Wire, 16 Position, 6mm / 4mm [.236in / . 157in] Centerline, Sealable, Black, Signal



### **Body Features**

Cable Exit Angle	180°, 90°
Body Material	PBT GF
Color	Black
Contact Features	
Mating Tab Width	1.6 mm, 2.8 mm[.063 in][.11 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Mounting Feature	Without
Polarized	Yes
Housing Features	
Centerline (Pitch)	4 mm, 6 mm[.157 in][.236 in]
Dimensions	
Height	39.8 mm[1.5669 in]
Length	62.5 mm[2.4606 in]
Width	48.1 mm[1.8937 in]

### Usage Conditions

Operating Temperature Range
-----------------------------

-40 - 140 °C[-40 - 284 °F]

Operation/	'Appl	lication
	·	

Circuit Application	Signal
Industry Standards	
Degree of Protection	IP67
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box
Packaging Quantity	150
Other	
Serviceable	Yes
Connector Position Assurance Capable	No

# Product Compliance

For compliance documentation, visit the product page on TE.com>

HDSCS, Housing for male terminals, Wire-to-Wire, 16 Position, 6mm / 4mm [.236in / . 157in] Centerline, Sealable, Black, Signal



EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUL 2019 (201) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUL 2019 (201)
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

#### Product Compliance Disclaimer


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

# **Compatible Parts**



HDSCS, Housing for male terminals, Wire-to-Wire, 16 Position, 6mm / 4mm [.236in / . 157in] Centerline, Sealable, Black, Signal





# Also in the Series HDSCS



Automotive Connector Caps & Covers	
(19)	

Documents

**Product Drawings** 16POS, MIXED, TAB HSG, ASSY, CODA

English

#### **CAD** Files

**Customer View Model** ENG\_CVM\_CVM\_1-1564407-1\_J.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1564407-1\_J.3d\_stp.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_1-1564407-1\_J.2d\_dxf.zip

English

3D PDF

3D

**&** For support call+1 800 522 6752

HDSCS, Housing for male terminals, Wire-to-Wire, 16 Position, 6mm / 4mm [.236in / . 157in] Centerline, Sealable, Black, Signal



By downloading the CAD file I accept and agree to the Terms and Conditions of use.

Datasheets & Catalog Pages ICT Terminals and Connectors Catalogue

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

**Application Specification** 

English

Product Environmental Compliance TE Material Declaration

English