

2-1703808-1 ✓ ACTIVE

AMP | HDSCS

TE Internal #: 2-1703808-1

HDSCS, Housing for male terminals, Wire-to-Wire, 4 Position, 6mm [.236in] Centerline, Sealable, Gray, Signal

[View on TE.com >](#)



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > HDSCS HOUSINGS



Connector Style: **Housing for male terminals**

Mating Tab Width: **2.8 mm [.11 in]**

Connector System: **Wire-to-Wire**

Number of Positions: **4**

Centerline (Pitch): **6 mm [.236 in]**

[All HDSCS HOUSINGS \(186\)](#)

Features

Product Type Features

Row-to-Row Spacing	1.5 mm[.059 in]
Connector Style	Housing for male terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	On the Terminal
Strain Relief	Add By Accessory

Configuration Features

Number of Positions	4
Number of Rows	2

Electrical Characteristics

Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V
Operating Voltage	60 VDC

Body Features

Cable Exit Angle	180°, 90°
Body Material	PBT GF



Color	Gray
-------	------

Contact Features

Mating Tab Width	2.8 mm[.11 in]
------------------	----------------

Mechanical Attachment

Terminal Position Assurance	Yes
-----------------------------	-----

Mounting Feature	Without
------------------	---------

Polarized	Yes
-----------	-----

Housing Features

Centerline (Pitch)	6 mm[.236 in]
--------------------	---------------

Dimensions

Height	39.8 mm[1.567 in]
--------	-------------------

Length	37.5 mm[1.4764 in]
--------	--------------------

Width	48.1 mm[1.8937 in]
-------	--------------------

Usage Conditions

Operating Temperature Range	-40 – 140 °C[-40 – 284 °F]
-----------------------------	----------------------------

Operation/Application

Circuit Application	Signal
---------------------	--------

Industry Standards

Degree of Protection	IP67
----------------------	------

UL Flammability Rating	UL 94V-0
------------------------	----------

Packaging Features

Packaging Method	Carton
------------------	--------

Packaging Quantity	320
--------------------	-----

Other

Serviceable	Yes
-------------	-----

Connector Position Assurance Capable	No
--------------------------------------	----

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
------------------------------	-----------

EU ELV Directive 2000/53/EC	Compliant
-----------------------------	-----------





China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUL 2017 (174) Does not contain REACH SVHC
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUL 2017 (174)
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts





TE Model / Part # 828922-1
2,5MM CAVITY PLUG FOR 5,4MM DI



TE Model / Part # 828905-1
SINGLE-WIRE-SEAL(5MM HOLE)



TE Model / Part # CAT-T4827-T273
TIMER, RECEPTACLE AND TAB



TE Model / Part # 2-962916-3
TAB 2.8x0.8 CONTACT CF SWS Au

Also in the Series | HDSCS



Automotive Connector Caps & Covers
(19)



Automotive Seals & Cavity Plugs(1)



Automotive, Truck, Bus, & Off-Road
Housings(189)



Other Automotive Connector
Accessories(22)


Customers Also Bought




TE Model / Part #2141026-1
RELAY BOX ASSY,HARD WIRED



TE Model / Part #2141028-1
FUSE BOX HSG,HARD WIRED



TE Model / Part #964594-1
HALTER F3XSICHERG C



TE Model / Part #965839-1
4MM PIN CONTACT

Documents

Product Drawings

4POS,TAB 2.8X0.8,TAB HSG,ASSY,CODB

English

CAD Files

Customer View Model

[ENG_CVM_CVM_2-1703808-1_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-1703808-1_J.3d_stp.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2-1703808-1_J.2d_dxf.zip](#)

English

[3D PDF](#)



3D

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

HDSCS Catalog

English

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English