

AMP | HDSCS TE Internal #: 1-1670214-1 HDSCS, Housing for male terminals, Wire-to-Wire, 7 Position, 4mm / 6mm [.236in / .157in] Centerline, Sealable, Black, Signal View on TE.com >



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > HDSCS HOUSINGS



Connector Style: Housing for male terminals Mating Tab Width: 1.6 mm, 2.8 mm [.063 in, .11 in] Connector System: Wire-to-Wire Number of Positions: 7 Centerline (Pitch): 4 mm, 6 mm [.157 in, .236 in]

All HDSCS HOUSINGS (186)

Features

Product Type Features

Row-to-Row Spacing

Connector Style

5.6 mm, 6.5 mm[.22 in][.256 in]

Housing for male terminals

Connector Style	Housing for male terminals		
Connector System	Wire-to-Wire		
Sealable	Yes		
Hybrid Connector	Yes		
Primary Locking Feature	On the Terminal		
Strain Relief	Add By Accessory		
Configuration Features			
Number of Positions	7		
Number of Rows	2		
Electrical Characteristics			
Nominal Voltage Architecture	12 V, 24 V, 42 V, 60 V		
Operating Voltage	60 VDC		
Body Features			
Cable Exit Angle	180°, 90°		
Body Material	PBT GF		

HDSCS, Housing for male terminals, Wire-to-Wire, 7 Position, 4mm / 6mm [.236in / . 157in] Centerline, Sealable, Black, Signal



Color	Black
Contact Features	
Mating Tab Width	1.6 mm, 2.8 mm[.063 in][.11 in]
Mechanical Attachment	
Terminal Position Assurance	Yes
Mounting Feature	Without
Polarized	Yes
Housing Features	
Centerline (Pitch)	4 mm, 6 mm[.157 in][.236 in]
Dimensions	
Height	39.8 mm[1.5669 in]
Length	42.5 mm[1.6732 in]
Width	48.1 mm[1.8937 in]
Usage Conditions	
Operating Temperature Range	-40 - 140 °C[-40 - 284 °F]
Operation/Application	
Circuit Application	Signal

Circuit Application	Signal

Industry Standards

Degree of Protection	IP67			
UL Flammability Rating	UL 94V-0			
Packaging Features				
Packaging Method	Box			
Packaging Quantity	250			
Other				
Serviceable	Yes			
Connector Position Assurance Capable	No			
Product Compliance				
For compliance documentation, visit the product page on TE.com>				
EU RoHS Directive 2011/65/EU	Compliant			
EU ELV Directive 2000/53/EC	Compliant			

HDSCS, Housing for male terminals, Wire-to-Wire, 7 Position, 4mm / 6mm [.236in / . 157in] Centerline, Sealable, Black, Signal



China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JAN 2019 (197) Does not contain REACH SVHC	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JAN 2019 (197)	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked.Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts



HDSCS, Housing for male terminals, Wire-to-Wire, 7 Position, 4mm / 6mm [.236in / . 157in] Centerline, Sealable, Black, Signal





=TE

TE Model / Part # 2-964269-2


TAB A 1.6x0.6 CONTACT CF SWS Ag

Also in the Series HDSCS

=TE


TE Model / Part # 2-962916-3

TAB 2.8x0.8 CONTACT CF SWS Au



(19)	Housings(189)	Accessories(22)

Customers Also Bought



TE Model / Part #1355437-2 MCP9,5 EINZELDICHTG

Documents

Product Drawings 7POS, MIXED, TAB HSG, ASSY, CODA

English

CAD Files

Customer View Model ENG_CVM_CVM_1-1670214-1_J.3d_stp.zip

HDSCS, Housing for male terminals, Wire-to-Wire, 7 Position, 4mm / 6mm [.236in / . 157in] Centerline, Sealable, Black, Signal



English

Customer View Model ENG_CVM_CVM_1-1670214-1_J.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_1-1670214-1_J.3d_igs.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages ICT Terminals and Connectors Catalogue

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications Application Specification English