

AMP | HDSCS

TE Internal #: 1-1703808-1

HDSCS, Housing for male terminals, Wire-to-Wire, 4 Position, 6mm

[.236in] Centerline, Sealable, Black, Signal

View on TE.com >



Connectors > Automotive, Truck, Bus, & Off-Road Connectors > Connector Housings > HDSCS HOUSINGS











Connector Style: Housing for male terminals

Mating Tab Width: 2.8 mm [.11 in] Connector System: Wire-to-Wire

Number of Positions: 4

Centerline (Pitch): 6 mm [.236 in]

Nominal Voltage Architecture

Operating Voltage

All HDSCS HOUSINGS (186)

Features

Product Type Features

| Row-to-Row Spacing | 6.45 mm[.254 in] |
|----------------------------|----------------------------|
| Connector Style | Housing for male terminals |
| Connector System | Wire-to-Wire |
| Sealable | Yes |
| Hybrid Connector | No |
| Primary Locking Feature | On the Terminal |
| Strain Relief | Add By Accessory |
| Configuration Features | |
| Number of Positions | 4 |
| Number of Rows | 2 |
| Electrical Characteristics | |

12 V, 24 V, 42 V, 60 V

60 VDC



Body Features

| Cable Exit Angle | 180°, 90° |
|------------------|-----------|
| Body Material | PBT GF |
| Color | Black |

Contact Features

| Mating Tab Width | 2.8 mm[.11 in] | |
|------------------|----------------|--|

Mechanical Attachment

| Terminal Position Assurance | Yes |
|-----------------------------|---------|
| Mounting Feature | Without |
| Polarized | Yes |

Housing Features

Dimensions

| Height | 39.8 mm[1.567 in] |
|--------|--------------------|
| Length | 37.5 mm[1.4764 in] |
| Width | 48.1 mm[1.8937 in] |

Usage Conditions

| Operating Temperature Range -40 – 140 °C[-40 – 284 °F] |
|--------------------------------------------------------|
|--------------------------------------------------------|

Operation/Application

| Circuit Application | Signal | |
|---------------------|--------|--|
|---------------------|--------|--|

Industry Standards

| Degree of Protection | IP67 |
|------------------------|----------|
| UL Flammability Rating | UL 94V-0 |

Packaging Features

| Packaging Quantity 128 | Packaging Method | Carton |
|------------------------|--------------------|--------|
| | Packaging Quantity | 128 |

Other

| Serviceable | Yes | |
|--------------------------------------|-----|--|
| Connector Position Assurance Capable | No | |

Product Compliance

For compliance documentation, visit the product page on TE.com>



| EU RoHS Directive 2011/65/EU | Compliant |
|-----------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUL 2019 (201) Does not contain REACH SVHC |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUL 2019 (201) Candidate List Declared Against: JUL 2019 (201) |
| Halogen Content | Not Low Halogen - contains Br or Cl > 900 ppm. |
| Solder Process Capability | Not applicable for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulations, TE's information on SVHC in articles for this part number is still based on the European Chemical Agency (ECHA) 'Guidance on requirements for substances in articles' (Version: 2, April 2011), applying the 0.1% weight on weight concentration threshold at the finished product level. TE is aware of the European Court of Justice ruling of September 10th, 2015 also known as O5A (Once An Article Always An Article) stating that, in case of 'complex object', the threshold for a SVHC must be applied to both the product as a whole and simultaneously to each of the articles forming part of its composition. TE has evaluated this ruling based on the new ECHA "Guidance on requirements for substances in articles" (June 2017, version 4.0) and will be updating its statements accordingly.

Compatible Parts





CIRCULAR DIN BACKSHELLS















Also in the Series | HDSCS





Automotive Seals & Cavity Plugs(1)




Automotive, Truck, Bus, & Off-Road Housings(189)



Other Automotive Connector Accessories(22)

Customers Also Bought







Documents

Product Drawings 4POS,TAB 2.8X0.8,TAB HSG,ASSY,

English

CAD Files

Customer View Model

ENG_CVM_CVM_1-1703808-1_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-1703808-1_J.3d_stp.zip

English

Customer View Model

ENG_CVM_CVM_1-1703808-1_J.2d_dxf.zip

English

3D PDF



3D

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

HDSCS Catalog

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English