#### **Product data sheet**

## Subminiature connectors




Product description M9 IP67 female panel mount connector, Contacts: 4, shieldable, dip-solder, IP67, front mounting

Area M9 IP67 series 712 Order number 09 0412 30 04


# Illustration




### **Conductor layout**



## Scale drawing



#### Contact arrangement (Plug-in side)



You can find the assembly instructions on the next page.

## Technical data

#### **General values**

Connector design

Connector locking system Termination Upper limit temperature Lower limit temperature Customs tariff number female panel mount connector screw dip-solder 85 °C -40 °C 85369010

### **Electrical values**

Rated current (40 °C) 3 A Rated voltage 125 V Rated impulse voltage 1500 V Pollution degree Ш Overvoltage category Insulating material group Ш  $\geq 10^{10} \, \Omega$ Insulation resistance **EMC** compliance shieldable Degree of protection > 500 Mating cycles Mechanical operation

#### **Material**

Contact material CuSn (bronze)
Contact plating Au (gold)
Contact body material PA (UL94 V-0)
REACH SVHC CAS 7439-92-1 (Lead)


## **Product data sheet**

## Subminiature connectors



Product description M9 IP67 female panel mount connector, Contacts: 4, shieldable, dip-solder, IP67, front mounting

Area M9 IP67 series 712 Order number 09 0412 30 04



#### **Product data sheet**

## Subminiature connectors



Product description M9 IP67 female panel mount connector, Contacts: 4, shieldable, dip-solder, IP67, front mounting

Area M9 IP67 series 712 Order number 09 0412 30 04

### Security notices

The connector must not be plugged or unplugged under load. Non-observance and improper use can result in personal injury.

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Plug connectors with enclosure protection IP 67 and IP 68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.