Product data sheet

Subminiature connectors




Product description M9 IP67 female panel mount connector, Contacts: 7, shieldable, dip-solder, IP67, front mounting

Area M9 IP67 series 712 Order number 09 0424 30 07


Illustration




Conductor layout



Scale drawing



Contact arrangement (Plug-in side)



You can find the assembly instructions on the next page.

Technical data

General values

Connector design

Connector locking system Termination Upper limit temperature Lower limit temperature Customs tariff number female panel mount connector screw dip-solder 85 °C -40 °C 85369010

Electrical values

Rated current (40 °C) Rated voltage 125 V Rated impulse voltage 1500 V Pollution degree Overvoltage category Ш Insulating material group Ш $\geq 10^{10} \, \Omega$ Insulation resistance **EMC** compliance shieldable Degree of protection Mechanical operation > 500 Mating cycles

Material

Contact material CuSn (bronze)
Contact plating Au (gold)
Contact body material PA (UL94 V-0)
REACH SVHC CAS 7439-92-1 (Lead)


Product data sheet

Subminiature connectors



Product description M9 IP67 female panel mount connector, Contacts: 7, shieldable, dip-solder, IP67, front mounting

Area M9 IP67 series 712 Order number 09 0424 30 07



Product data sheet

Subminiature connectors



Product description M9 IP67 female panel mount connector, Contacts: 7, shieldable, dip-solder, IP67, front mounting

Area M9 IP67 series 712 Order number 09 0424 30 07

Security notices

The connector must not be plugged or unplugged under load. Non-observance and improper use can result in personal injury.

The connectors have been developed for applications in plant engineering, control and electrical equipment construction. The user is responsible for checking whether the connectors can also be used in other areas of application.

Plug connectors with enclosure protection IP 67 and IP 68 are not suitable for use under water. When used outdoors, the plug connectors must be protected separately against corrosion. For further information on the IP protection classes, please refer to the "Technical Information" download centre.